



Sensor Industrial Pro

IQAROS Temperature and humidity sensor

Description

IQD-SE03-02 (sensor Industrial Pro) is a temperature and relative humidity sensor intended for IQRF wireless 3D monitoring system IQAROS. It observes the IQRF Standard sensor specification.

Key features

- Indoor, with the sensor unit connected via the finger
- IQRF wireless Mesh connectivity
- Extra low power, battery operated. Battery lifetime 10 years typical.
- Beaming sensor supporting data collection by Aggregating repeaters



• Temperature and humidity monitoring in an indoor industrial environment

Applications

- IQRF wireless 3D temperature and humidity monitoring system IQAROS
- Monitoring of buildings, warehouses, laboratory conditions, etc.
- Smart house, Internet of Things



Technical specifications	Typical values (until otherwise specified)
Power supply	Battery AA 3.6 V, 2400 mAh, lifetime 10 years typical, 7 years guaranteed
	(if the conditions for operating are observed).
RF connectivity	IQRF wireless Mesh
RF band	868 MHz (916 MHz on request)
RF range	Tens of meters in buildings (depends on the environment and obstacles) Up to 400 m in free space
Beaming period	The sensor transmits the measured values every minute.
Temperature and humidity sensor IC	SHT3x series by Sensirion, factory calibrated
Temperature Range	Without hoar-frost and condensation 0 °C to +45 °C (battery lifetime 7 years guaranteed) -20 °C to +70 °C (battery lifetime not guaranteed)
Resolution	0.0625 °C
Accuracy	Typical \pm 0.2 °C (0 °C to +70 °C), from \pm 0.25 °C to \pm 0.2 °C (-20 °C to 0 °C) Maximal \pm 0.4 °C (-20 °C to +70 °C)
Long-term drift	0.03 °C / year max.
Relative humidity Range	Without hoar-frost and condensation 0 % to 90 % (battery lifetime 7 years guaranteed) 0 % to 100 % (battery lifetime not guaranteed)
Resolution	0.5 %
Accuracy Long term drift	±2 % 0.25 % / year
Ingress protection	IP42
Main unit enclosure size Finger size	64 mm x 58 mm x 35 mm body, 94 mm x 88.4 mm x 35 mm total 30.4 mm length, 15.0 mm diameter
Weight	115 g